




HIAB X-CLX 178



HIAB X-CLX 178 BASIC DATA

Technical data	B-1	B-2	B-3	E-3
Max. lifting capacity (kNm)	163.3	156.7	152	153.5
Outreach, hydraulic extensions (m)	6.5	8.6	10.8	10.8
Outreach, manual extensions (m)	8.6	10.8	13	12.9
Outreach, with jib (m)	-	-	-	-
Outreach / lifting capacity (m/kg)	3.2 / 5100	3.2 / 5000	3.4 / 4550	3.2 / 4900
	4.5 / 3700	4.6 / 3450	4.6 / 3350	4.8 / 3250
	6.3 / 2650	6.4 / 2460	6.4 / 2320	6.6 / 2280
	-	8.4 / 1860	8.4 / 1720	8.6 / 1700
	-	-	10.5 / 1360	10.6 / 1360
Outreach / lifting capacity, with jib (m / kg)	-	-	-	-
Slewing angle (°)	415	415	415	415
Height in folded position (mm)	2265	2265	2265	2260
Width in folded position (mm)	2470	2470	2470	2470
Installation space needed (mm)	865	865	950	965
Weight, "standard" crane, without stabilisers (kg)	1610	1760	1930	2050
Weight, stabiliser equipment (kg)	271 - 428	271 - 428	271 - 428	271 - 428
Weight, jib (kg)	-	-	-	-

HIAB X-CLX 178 B2



BUILT TO PERFORM

Hiab is the world's leading provider of on-road load handling equipment. Customer satisfaction is the first priority for us. Hiab's product range includes HIAB loader cranes, JONSERED recycling and forestry cranes, LOGLIFT forestry cranes, MOFFETT truck-mounted forklifts and MULTILIFT demountables, as well as DEL, WALTCO and ZEPRO tail lifts.

www.hiab.com

Hiab is part of Cargotec. www.cargotec.com



BD-CLX178-EN-WW_1 40506



hiab.com